


CLEAN COPY OF CLAIMS

1. (original) A compound of Formula (I):



Formula (I)

wherein:

A is (C₅₋₆)cycloalkyldiyl, cyclic heteroalkyldiyl, aryl-diyl or heteroaryldiyl;

B is aryl-diyl or heteroaryldiyl;

E is aryl-diyl or heteroaryldiyl;

R₁ is (C₃₋₈)cycloalkyl-(R₈)_q, cyclic heteroalkyl-(R₉)_q, aryl-(R₈)_q, heteroaryl-(R₉)_q or NR₅R₆;

R₅ is hydrogen, (C₁₋₁₂)alkanyl-R₇, C(O)H, C(O)-(C₁₋₁₂)alkanyl-R₇, CO₂H, C(O)O-(C₁₋₁₂)alkanyl-R₇, (C₃₋₈)cycloalkyl-(R₈)_q, cyclic heteroalkyl-(R₉)_q, aryl-(R₈)_q or heteroaryl-(R₉)_q; wherein cyclic heteroalkyl-(R₉)_q and heteroaryl-(R₉)_q are attached to the nitrogen atom of NR₅R₆ via a ring carbon atom;

R₆ is hydrogen or (C₁₋₈)alkanyl-R₇;

R₇ is hydrogen, (C₁₋₈)alkoxy-(R₁₀)_s, C(O)H, C(O)-(C₁₋₈)alkanyl-(R₁₀)_s, C(O)-R_a, CO₂H, C(O)O-(C₁₋₈)alkanyl-(R₁₀)_s, C(O)O-R_a, OC(O)-(C₁₋₈)alkanyl-(R₁₀)_s, OC(O)-R_a, NH₂, NH(C₁₋₈alkanyl-(R₁₀)_s), N(C₁₋₈alkanyl-(R₁₀)_s)₂, cyano, (halo)₁₋₃, hydroxy or R_a;

R_a is (C₃₋₈)cycloalkyl-(R₁₁)_q, cyclic heteroalkyl-(R₁₂)_q, aryl-(R₁₁)_q or heteroaryl-(R₁₂)_q;

(R₈)_q is hydrogen, (C₁₋₈)alkanyl-(R₁₀)_s, (C₁₋₈)alkoxy-(R₁₀)_s, C(O)H, C(O)-(C₁₋₈)alkanyl-(R₁₀)_s, CO₂H, C(O)O-(C₁₋₈)alkanyl-(R₁₀)_s, NH₂, NH(C₁₋₈alkanyl-(R₁₀)_s), N(C₁₋₈alkanyl-(R₁₀)_s)₂ or halogen;

(R₉)_q is hydrogen, (C₁₋₈)alkanyl-(R₁₀)_s, C(O)H, C(O)-(C₁₋₈)alkanyl-(R₁₀)_s, CO₂H or C(O)O-(C₁₋₈)alkanyl-(R₁₀)_s when attached to a nitrogen atom; wherein (R₉)_q is hydrogen, (C₁₋₈)alkanyl-(R₁₀)_s, (C₁₋₈)alkoxy-(R₁₀)_s, C(O)H, C(O)-(C₁₋₈)alkanyl-(R₁₀)_s,

CO₂H, C(O)O-(C₁₋₈)alkanyl-(R₁₀)_s, NH₂, NH(C₁₋₈alkanyl-(R₁₀)_s),
N(C₁₋₈alkanyl-(R₁₀)_s)₂ or halogen when attached to a carbon atom;

(R₁₀)_s is hydrogen, (C₁₋₈)alkoxy, NH₂, NH(C₁₋₈alkanyl), N(C₁₋₈alkanyl)₂, (halo)₁₋₃ or hydroxy;

(R₁₁)_q is hydrogen, (C₁₋₈)alkanyl, (C₁₋₈)alkoxy, NH₂, NH(C₁₋₈alkanyl), N(C₁₋₈alkanyl)₂ or halogen;

(R₁₂)_q is hydrogen or (C₁₋₈)alkanyl;

R₂ is hydrogen, (C₁₋₈)alkanyl-R₇, (C₁₋₈)alkoxy-R₇, C(O)H, C(O)-(C₁₋₈)alkanyl-R₇, CO₂H, C(O)O-(C₁₋₈)alkanyl-R₇, NH₂, NH(C₁₋₈alkanyl-R₇), N(C₁₋₈alkanyl-R₇)₂, cyano, halogen, hydroxy or R_a;

R₃ and R₄ are independently hydrogen, (C₁₋₈)alkanyl-R₇, C(O)H, C(O)-(C₁₋₈)alkanyl-R₇, CO₂H, C(O)O-(C₁₋₈)alkanyl-R₇, (C₃₋₈)cycloalkyl-(R₈)_q or aryl-(R₈)_q when attached to a nitrogen atom; wherein R₃ and R₄ are independently hydrogen, (C₁₋₈)alkanyl-R₇, (C₁₋₈)alkoxy-R₇, C(O)H, C(O)-(C₁₋₈)alkanyl-R₇, CO₂H, C(O)O-(C₁₋₈)alkanyl-R₇, NH₂, NH(C₁₋₈alkanyl-R₇), N(C₁₋₈alkanyl-R₇)₂, cyano, halogen, hydroxy, (C₃₋₈)cycloalkyl-(R₈)_q, cyclic heteroalkyl-(R₉)_q, aryl-(R₈)_q or heteroaryl-(R₉)_q when attached to a carbon atom;

q is 1, 2, 3, 4 or 5; and,

s is 1 or 2;


and enantiomers, diastereomers, tautomers, solvates and pharmaceutically acceptable salts thereof.

2. (original) The compound of claim 1 wherein A is aryldiyl.
3. (original) The compound of claim 1 wherein A is benzenediyl.
4. (original) The compound of claim 1 wherein B is aryldiyl.
5. (original) The compound of claim 1 wherein B is benzenediyl.
6. (original) The compound of claim 1 wherein E is aryldiyl.
7. (original) The compound of claim 1 wherein E is benzenediyl.

8. (original) The compound of claim 1 wherein R_1 is $(C_{5-8})\text{cycloalkyl}-(R_8)_q$, cyclic heteroalkyl- $(R_9)_q$, aryl- $(R_8)_q$, heteroaryl- $(R_9)_q$ or NR_5R_6 .
9. (original) The compound of claim 1 wherein R_1 is NR_5R_6 .
10. (original) The compound of claim 1 wherein R_5 is hydrogen, $(C_{1-10})\text{alkanyl}-R_7$, $C(O)H$, $C(O)-(C_{1-4})\text{alkanyl}-R_7$, CO_2H , $C(O)O-(C_{1-4})\text{alkanyl}-R_7$, $(C_{3-6})\text{cycloalkyl}-(R_8)_q$, cyclic heteroalkyl- $(R_9)_q$, aryl- $(R_8)_q$ or heteroaryl- $(R_9)_q$; wherein cyclic heteroalkyl- $(R_9)_q$ and heteroaryl- $(R_9)_q$ are attached to the nitrogen atom of NR_5R_6 via a ring carbon atom.
11. (original) The compound of claim 1 wherein R_5 is hydrogen, $(C_{1-10})\text{alkanyl}-R_7$ or aryl- $(R_8)_q$.
12. (original) The compound of claim 1 wherein R_5 is hydrogen, $(C_{1-10})\text{alkanyl}-R_7$ or phenyl- $(R_8)_q$.
13. (original) The compound of claim 1 wherein R_6 is hydrogen or $(C_{1-4})\text{alkanyl}-R_7$.
14. (original) The compound of claim 1 wherein R_7 is hydrogen, $(C_{1-4})\text{alkoxy}-(R_{10})_s$, $C(O)H$, $C(O)-(C_{1-4})\text{alkanyl}-(R_{10})_s$, $C(O)-R_a$, CO_2H , $C(O)O-(C_{1-4})\text{alkanyl}-(R_{10})_s$, $C(O)O-R_a$, $OC(O)-(C_{1-4})\text{alkanyl}-(R_{10})_s$, $OC(O)-R_a$, NH_2 , $NH(C_{1-4}\text{alkanyl}-(R_{10})_s)$, $N(C_{1-4}\text{alkanyl}-(R_{10})_s)_2$, cyano, (halo) $_{1-3}$, hydroxy or R_a .
15. (original) The compound of claim 1 wherein R_7 is hydrogen, $OC(O)-R_a$, NH_2 , $NH(C_{1-4}\text{alkanyl}-(R_{10})_s)$, $N(C_{1-4}\text{alkanyl}-(R_{10})_s)_2$ or R_a .
16. (original) The compound of claim 1 wherein R_7 is hydrogen, $OC(O)-R_a$, $N(C_{1-4}\text{alkanyl}-(R_{10})_s)_2$ or R_a .
17. (original) The compound of claim 1 wherein R_a is $(C_{3-6})\text{cycloalkyl}-(R_{11})_q$, cyclic heteroalkyl- $(R_{12})_q$, aryl- $(R_{11})_q$ or heteroaryl- $(R_{12})_q$.

18. (original) The compound of claim 1 wherein R_a is cyclic heteroalkyl- $(R_{12})_q$ or aryl- $(R_{11})_q$.
19. (original) The compound of claim 1 wherein R_a is pyrrolidinyl- $(R_{12})_q$, piperidinyl- $(R_{12})_q$, morpholinyl- $(R_{12})_q$ or phenyl- $(R_{11})_q$.
20. (original) The compound of claim 1 wherein $(R_8)_q$ is hydrogen, (C_{1-4}) alkanyl- $(R_{10})_s$, (C_{1-4}) alkoxy- $(R_{10})_s$, $C(O)H$, $C(O)-(C_{1-4})$ alkanyl- $(R_{10})_s$, CO_2H , $C(O)O-(C_{1-4})$ alkanyl- $(R_{10})_s$, NH_2 , $NH(C_{1-4})$ alkanyl- $(R_{10})_s$, $N(C_{1-4})$ alkanyl- $(R_{10})_s)_2$ or halogen.
21. (original) The compound of claim 1 wherein $(R_9)_q$ is hydrogen, (C_{1-4}) alkanyl- $(R_{10})_s$, $C(O)H$, $C(O)-(C_{1-4})$ alkanyl- $(R_{10})_s$, CO_2H or $C(O)O-(C_{1-4})$ alkanyl- $(R_{10})_s$ when attached to a nitrogen atom; wherein $(R_9)_q$ is hydrogen, (C_{1-4}) alkanyl- $(R_{10})_s$, (C_{1-4}) alkoxy- $(R_{10})_s$, $C(O)H$, $C(O)-(C_{1-4})$ alkanyl- $(R_{10})_s$, CO_2H , $C(O)O-(C_{1-4})$ alkanyl- $(R_{10})_s$, NH_2 , $NH(C_{1-4})$ alkanyl- $(R_{10})_s$, $N(C_{1-4})$ alkanyl- $(R_{10})_s)_2$ or halogen when attached to a carbon atom.
22. (original) The compound of claim 1 wherein $(R_{10})_s$ is hydrogen, C_{1-4} alkoxy, NH_2 , $NH(C_{1-4})$ alkanyl, $N(C_{1-4})$ alkanyl) $_2$, (halo) $_{1-3}$ or hydroxy.
23. (original) The compound of claim 1 wherein $(R_{11})_q$ is hydrogen, (C_{1-4}) alkanyl, (C_{1-4}) alkoxy, NH_2 , $NH(C_{1-4})$ alkanyl, $N(C_{1-4})$ alkanyl) $_2$ or halogen.
24. (original) The compound of claim 1 wherein $(R_8)_q$, $(R_9)_q$, $(R_{10})_s$ and $(R_{11})_q$ are hydrogen.
25. (original) The compound of claim 1 wherein $(R_{12})_q$ is hydrogen or (C_{1-4}) alkanyl.
26. (original) The compound of claim 1 wherein R_2 is hydrogen, (C_{1-4}) alkanyl- R_7 , (C_{1-4}) alkoxy- R_7 , $C(O)H$, $C(O)-(C_{1-4})$ alkanyl- R_7 , CO_2H , $C(O)O-(C_{1-4})$ alkanyl- R_7 , NH_2 , $NH(C_{1-4})$ alkanyl- R_7 , $N(C_{1-4})$ alkanyl- $R_7)_2$, cyano, halogen, hydroxy or R_a .

27. (original) The compound of claim 1 wherein R_2 is hydrogen or $(C_{1-4})\text{alkanyl-}R_7$.
28. (original) The compound of claim 1 wherein R_3 and R_4 are independently hydrogen, $(C_{1-4})\text{alkanyl-}R_7$, $C(O)H$, $C(O)-(C_{1-4})\text{alkanyl-}R_7$, CO_2H , $C(O)O-(C_{1-4})\text{alkanyl-}R_7$, $(C_{3-6})\text{cycloalkyl-}(R_8)_q$ or $\text{aryl-}(R_8)_q$ when attached to a nitrogen atom; wherein R_3 and R_4 are independently hydrogen, $(C_{1-4})\text{alkanyl-}R_7$, $(C_{1-4})\text{alkoxy-}R_7$, $C(O)H$, $C(O)-(C_{1-4})\text{alkanyl-}R_7$, CO_2H , $C(O)O-(C_{1-4})\text{alkanyl-}R_7$, NH_2 , $NH(C_{1-4}\text{alkanyl-}R_7)$, $N(C_{1-4}\text{alkanyl-}R_7)_2$, cyano, halogen, hydroxy, $(C_{3-6})\text{cycloalkyl-}(R_8)_q$, cyclic heteroalkyl- $(R_9)_q$, $\text{aryl-}(R_8)_q$ or heteroaryl- $(R_9)_q$ when attached to a carbon atom.
29. (original) The compound of claim 1 wherein R_3 and R_4 are hydrogen when attached to a nitrogen atom; wherein R_3 and R_4 are independently hydrogen, $(C_{1-4})\text{alkanyl-}R_7$ or halogen when attached to a carbon atom.
30. (original) The compound of claim 1 wherein R_3 and R_4 are independently hydrogen, $(C_{1-4})\text{alkanyl-}R_7$ or halogen.
31. (original) The compound of claim 1 wherein R_3 and R_4 are independently hydrogen, $(C_{1-4})\text{alkanyl-}R_7$, chlorine or fluorine.
32. (original) The compound of claim 1 wherein q and s are 1.
33. (original) A compound of Formula (Ia):



Formula (Ia)

wherein

R_{1a} is $NR_{5a}R_{6a}$;

R_{5a} is hydrogen, $(C_{1-10})\text{alkanyl-}R_{7a}$ or aryl;

Serial No. 10/626,155

R_{6a} is hydrogen or (C_{1-4}) alkanyl- R_{7a} ;

R_{7a} is hydrogen, $OC(O)-R_{a1}$, NH_2 , $NH(C_{1-4}alkanyl)$, $N(C_{1-4}alkanyl)_2$ or R_{a1} ;

R_{a1} is cyclic heteroalkyl- $(R_{12a})_q$ or aryl;

$(R_{12a})_q$ is hydrogen or (C_{1-4}) alkanyl;

R_{2a} is hydrogen or (C_{1-4}) alkanyl- R_{7a} ;

R_{3a} and R_{4a} are independently hydrogen, (C_{1-4}) alkanyl- R_{7a} or halogen; and,

q is 1;

and enantiomers, diastereomers, tautomers, solvates, and pharmaceutically acceptable salts thereof.

Claims 34-40 (canceled).